

FABRICACIÓ I REPARACIÓ DE CARROSERIES INDUSTRIALS PER AL TRANSPORT ANIMAL

NEWNION

破瘟行者 - 阻隔一切猪瘟感染风险



NEWNION

What's the **NEWNION** ?

青岛华运联合商贸有限公司是一家专业设计与改装活畜运输车的合资公司，与西班牙的**NEWNION**合作，创立于**2012年**。
NEWNION是欧洲的一家专门研发设计畜禽运输的企业，在欧洲从事该行当已有**20年**的历史，引领欧洲的运输理念和动物福利理念。

Qingdao Huayun United Trading Co., Ltd. is a joint venture company specializing in the design and modification of live animal transport vehicles. It was founded in 2012 in cooperation with NEWNION of Spain.

NEWNION is a European company specializing in the design and development of livestock and poultry transportation. It has been in Europe for 20 years and leads the European transportation concept and movement.

The concept of welfare.



NEWNION

in Qindao !

华运联合总部在青岛！



NEWNION is ideas.....
华运的理念



The company is committed to bringing European mature design and advanced technology to China, using rigorous manufacturing processes and high quality materials.

And accessories for the design and manufacture of live animal transport vehicles. The produced transport vehicles take into account animal welfare, environmental protection, and transportation.

The advantages of operation and cleaning are simple and quick, which greatly improves the transportation efficiency and saves labor costs and transportation costs.

Maximize the quality of live animals in long-distance transportation. After the products are put into the domestic market, they have been welcomed by customers.

Recognition. At present, many products have been exported to overseas markets such as the United States, Japan, Southeast Asia, etc., and have also been well received by foreign customers.

公司致力于将欧洲成熟的设计和先进的技术带入中国，采用严谨的制造工艺以及高品质材料和配件为客户设计制造活畜运输车。生产出来的运输车兼顾动物福利、环境保护、运输量多、操作和清洗简单快捷等优点，为用户大大的提高了运输效率，节省了用工成本和运输成本，最大程度保证了长途运输中活畜的质量。产品投入国内市场使用后，得到了广大客户的欢迎和认可。目前许多产品已经远销美国、日本、东南亚等海外市场，同时也得到了国外客户的好评！

NEWNION have Spain heart #

华运联合有一颗西班牙的心脏 #



NEWNION know what is best for pigs.

华运知道什么对猪最好



Safety performance and Comfort

安全性和舒适性

- ◆ 车厢整体采用铝型材框架结构，箱体内分层，每层分栏位；
全车无死角，无尖锐锋利棱角，地面防滑雕纹处理。
- ◆ 减少运输对处理猪只的各种应激反应和伤害
降低猪只因运输所造成的死亡率
减少猪只在运输过程中传染病的交叉感染和防疫威胁
- ◆ The overall structure of the carriage adopts an aluminum profile frame structure, and the compartments are layered, and each layer is divided into columns;

There is no dead angle in the whole car, no sharp edges and corners, and the ground is non-slip engraved.

- ◆ Reduce transportation stress and injury to handling pigs
Reduce the mortality caused by transportation
Reduce the cross-infection and epidemic threat of infectious diseases in pigs during transportation

- ◆ 每个猪只都需要足够的空间可以自由地站立或躺卧。
根据条例，必须不得小于：



EU standard
符合欧盟标准



猪场
FARMYARD
0.6m²



卡车
TRUCK
0.42m²

我们在充分尊重猪只社会环境的基础上生产制造专业的运输车辆：

所有的猪只都能够以最自然的姿势站立和躺卧。合理的密度安排使得猪只感觉舒适并且可以使车内空气流通更加顺畅。

We manufacture professional transportation vehicles on the basis of full respect for the social environment of pigs:

All pigs can stand and lie in the most natural position. Reasonable density arrangements make the pig feel comfortable and make the air circulation inside the car smoother.

NEWNION

华运知道什么对猪最好



Temperature Control System

温控系统

- ◆ 内地板设有加热系统，帮助猪只在运输过程中也能时刻保持最舒适温度。

加热器有温控感应，温度过高，加热器停止工作。

散热管镶嵌地板内部，不占用空间。

The inner floor is equipped with a heating system to help the pigs maintain the most comfortable temperature during transport.

The heater has temperature-controlled induction, the temperature is too high, and the heater stops working.

The heat pipe is embedded inside the floor and does not take up space.

- ◆ 实时视频监控车内每一层猪只的状态。


有视频监控和温度报警装置。

通过温度报警装置，若车厢内温度超过安全温度，驾驶室内自动报警，方便司机调整车厢内的温度。


Real-time video monitors the status of each layer of pigs in the car.

There are video surveillance and temperature alarm devices.

Through the temperature alarm device, if the temperature inside the cabin exceeds the safe temperature, the cab will automatically alarm to facilitate the driver to adjust the temperature inside the cabin.



监控系统
surveillance system




NEWNION

华运知道什么对猪最好

Water system

水系统



◆ 饮水系统

每个栏位拥系统有两个水嘴。

水箱最大配置两个270L水箱

Drinking water system

Each column has two faucets in the system.

The water tank is equipped with two 270L water tanks.

◆ 喷雾系统

每个栏位最多配有4个喷头，降温效果明显

设有防水球阀，防治冬天冻坏管路。

Spray system

Each column is equipped with 4 nozzles, which has obvious cooling effect.

It is equipped with a waterproof ball valve to prevent winter freezing pipelines.



NEWNION know what is best for pigs.

华运知道什么对猪最好





Environmental control

环境控制

- ◆ 通风非常重要但往往很难控制
 - 猪只对温度很敏感。
 - 猪只损失常由于不当的空气对流、传递和辐射而发生
 - 最关键的部分就是驾驶室后的车厢前端。
 - 车厢内的温度设定取决于畜禽最舒适的温度区域。

Ventilation is very important but often difficult to control

- Pigs are very sensitive to temperature.
- Pig losses often occur due to improper air convection, transmission and radiation
- The most critical part is the front of the cabin behind the cab.
- The temperature setting inside the cabin depends on the most comfortable temperature zone for the livestock.




NEWNION 超越相关动物福利条例的要求，通过风扇、喷淋、加热和两侧封板开闭系统的调节确保箱体的温度控制和优质通风

NEWNION know what is best for pigs.


华运知道什么对猪最好

Lift system 升降机系统

◆ 升降机永远比斜坡更好用。请看下图：



★ 优质专业的畜禽运输车永远都不该出现高度超过200mm的台阶或斜坡。





破瘟行者

四位一体，全面防护
让生猪运输毫无后患之忧



Environmental control

环境控制

控制空气流通防治，在运输环境下内部空气污浊，导致病原体过度滋生。



Temperature Control System

温控系统

使猪只保持最舒适最健康的温度环境，让猪拥有更多抵抗外部细菌的免疫力。



Water system

水系统


高压喷雾，有效清洁车内污染，以及室内降温。可加载消毒剂全面杀菌防护！



Lift system

升降机系统

猪只离场入场不接触地面，减少感染风险。




NEWNION

华运只关注你想要的

Car parameters

汽车参数



Basic terminology

1. 车厢 Body
2. 车头 Sleeping carbin
3. 前轴 Front axle
4. 后轴 Rear axle
5. 底盘 Chassis
6. 升降台 Lifting platform

	NION6.3	NION9.4	NION9.3	NION13.2	NION13.3
整车重量	15.8t	31t	33t	38t	40t
猪只种类	苗猪			成猪	
最大载猪	690	1450	150	110	200
层数	3	4	3	2	3

Vehicle size 整车尺寸	NION6.3	NION9.4	NION9.3	NION13.2	NION13.3
外部长度 (mm)	8660	11775	11775	13000	12930
外部宽度 (mm)	2505	2505	2505	2505	2505
外部高度 (mm)	3400	3970	3970	3990	3975

Technical specifications 基本参数	NION6.3	NION9.4	NION9.3	NION13.2	NION13.3
整备重量 (kg)	7520	14800	14800	9180	10900
载重质量 (kg)	8085	16000	16000	28820	28820
最高车速 (km/h)	98	98	98	98	98
发动机排量 (ml)	4752	9460	9460		
最小转弯半径 (m)	9	9	9	9	9
排放标准	国五	国五	国五	国五	国五
悬挂形式				空气悬挂	机械悬挂
牵引销型号				90#	90#
底盘信息	东风天锦	东风天龙	东风天龙	挂车	挂车
驱动形式	4x2	8x4	13	13	13
ABS防抱死	●	●	●	●	●

NEWNION only care about what you want.

华运只关注你想要的



Dedicated configuration parameters

专用配置参数

● 标配
○ 选配

	NION6.3	NION9.4	NION9.3	NION13.2	NION13.3
整全铝合金车身	●	●	●	●	●
层数	3层	4层	3层	2层	3层
层高 (mm)	660		614		831
装载面积 (m²)	41.4	86.4		50.0	80
封板系统				●	●
液压升降机	●	●	●	●	●
照明系统	3/1	3/1	3/1	2/1	3/1
水箱 (L)	160 ○	170 ○	170 ○	270/2	270/2
喷淋系统 (喷头数)	4 ○	4 ○	4 ○	4 ○	4 ○
加热系统	○	○	○	○	○
可展开天花板	●	●	●	●	●
风扇系统	○	○	○	●	19 ●
监控系统	○	○	○	●	●

NEWNION only care about what you want.

华运只关注你想要的



Contact info

联系方式



NEWNION 华运联合

山东省·青岛市

城阳区长城路博士创业园

1号楼-633室

GPS: 36.2877353889,120.4012124757

tel: +86 152 3594 4567

e-mail: zubaba@zubaba.cn



更多视频，扫一扫

欢迎来场参观
Welcome to visit

我们拥有强大的国外技术团队，以及放大的生产体系。

并拥有各种车型随时可以来场参观咨询。

We have a strong foreign technical team and an enlarged production system.

And you can come to the venue for consultation at any time.



NEWNION only care about what you want.

华运只关注你想要的

 **Real scene display**
实景展示



9米4层仔猪运输车



9米4层仔猪运输车



13米2层肥猪运输车



13米2层肥猪运输车车厢



车厢内栏位



箱体内地板



日本使用状况



13米3层半挂车